

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTIONS		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 315520	(X2) MULTIPLE CONSTRUCTION A. BUILDING 1A - MAIN BUILDING B. WING	(X3) DATE SURVEY COMPLETED 02/13/2025
NAME OF PROVIDER OR SUPPLIER SOMERSET WOODS REHABILITATION & NURSING CENTER			STREET ADDRESS, CITY, STATE, ZIP CODE 780 OLD NEW BRUNSWICK ROAD , SOMERSET, New Jersey, 08873	
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
K0000 Bldg. 1A	<p>INITIAL COMMENTS</p> <p>Complaint: NJ 183366</p> <p>Census: 106</p> <p>Survey Date: 2/13/2025</p> <p>A Complaint survey was conducted for a Facility Reportable Event (FRE) regarding an automobile striking the Ground Floor business office of the building causing the wall and window damage.</p> <p>The facility was found to be in compliance with the requirements for participation in Medicare/Medicaid at 42 CFR 483.90(a), Life Safety from Fire, and the 2012 Edition of the National Fire Protection Association (NFPA) 101, Life Safety Code (LSC), Chapter 19 EXISTING Health Care Occupancy.</p>	K0000		

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See reverse for further instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE	TITLE	(X6) DATE
---	-------	-----------