

| | | | | | | | |
|---|--|--|--|--|--|---|----------------------------|
| STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTIONS | | (X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 315201 | | (X2) MULTIPLE CONSTRUCTION A. BUILDING B. WING | | (X3) DATE SURVEY COMPLETED 10/07/2025 | |
| NAME OF PROVIDER OR SUPPLIER CAMBRIDGE REHABILITATION AND HEALTHCARE CENTER | | | | STREET ADDRESS, CITY, STATE, ZIP CODE 255 EAST MAIN ST , MOORESTOWN, New Jersey, 08057 | | | |
| (X4) ID PREFIX TAG | SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION) | | | ID PREFIX TAG | PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY) | | (X5) COMPLETION DATE |
| F0000 | <p>INITIAL COMMENTS</p> <p>Complaint #: 2635270</p> <p>Census: 145</p> <p>Sample Size: 5</p> <p>The NJDOH conducted a complaint survey on 10/7/25. The survey was officially completed on 10/7/2025.</p> <p>The facility is in compliance with the requirements of 42 CFR Part 483, Subpart B, for Long Term Care Facilities based on this complaint survey.</p> | | | F0000 | | | |

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See reverse for further instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

| | | |
|---|-------|-----------|
| LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE | TITLE | (X6) DATE |
|---|-------|-----------|