							FORM APPROVED
							<u>3 NO. 0938-0391</u>
STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION A. BUILDING				DATE SURVEY COMPLETED
		315249	B. WING			C 06/21/2022	
NAME OF PROVIDER OR SUPPLIER				STREET AI	DDRESS, CITY, STATE, ZIP CODE		
LINCOLN PARK CARE CENTER					BROOK ROAD I PARK, NJ 07035		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)		ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION X (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETION DATE	
F 000	INITIAL COMMENTS		F 0	00			
	NJ Complaint # 1556	648					
	Census: 467						
	Sample size: 5						
	42 CFR PART483, SI	THE REQUIREMENTS OF JBPART B, FOR LONG TIES BASED ON THIS					
LABORATORY	DIRECTOR'S OR PROVIDER/S	SUPPLIER REPRESENTATIVE'S SIGNATU	RE		TITLE		(X6) DATE
Electronically Signed							07/07/2022

Any deficiency statement ending with an asterisk (\*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

PRINTED: 02/23/2023